


Mounts





***Each person, regardless
of the degree of
disability, has the right
to influence, through
communication, the
conditions of its own life.***

**National Joint Committee for the Communication Needs of Persons with Severe Disabilities, 1992.*

Presentation

Our product line related to stands consists of different types, such as table and wheelchair mounts, wall and floor stands.

The stand-mounts have a design suitable for being used in multiple environments, such as at home or hospital. The movement of their arms are independent and thanks to the D-Safe system, safety of use is guaranteed.

The wheelchair stands instead, allow the use of the communicator to whoever use the wheelchair. The dual material, nylon and aluminium, allows a choice of the fixing type of tubes, making them movable or braked depending on the patient's needs.

The wall-mount allows the use of the communicator depending on the patient's position, in relation to its face and thanks to its jointed head, the safety of use is secured.

M E D I C A L A I

Wheelchair Mounts

The **Handy** wheelchair mounts line offers four versatile and reliable variants, compatible with Vesa mounting and third-party quick release systems.

High quality standard knobs are used and thanks to the **D-Clamp** technology (nylon + aluminum) the wheelchair vibrations are reduced, making the mount safer and more stable.



Handy D1

The wheelchair mount **Handy D1** with D-Safe Safety System is designed to be mounted on any kind of wheelchair. It has three aluminum tubes adjustable in different positions thanks to its joints and knobs that lock it.



Technical specifications

Height (maximum extent): 60 cm – 120 cm

Load capacity: 3,5 kg

Mount weight: 1,2 kg


Materials: Aluminium, plastic and Nylon

Colour: Grey and black



Handy D2

The wheelchair mount Handy D2 with D-Safe Safety System is designed to be mounted on any kind of wheelchair. It has a double tube system and other 2 aluminum tubes which are adjustable in different position thanks to the joints and practical handles for tightening.



Technical specifications

Height (maximum extent): 60 cm – 120 cm

Load capacity: 6,0 kg

Mount weight: 1,7 kg

Materials: Aluminium, plastic and Nylon

Colour: Grey and black



Handy D3

The wheelchair mount **Handy D3** with D-Safe Safety System is designed to sustain devices like tablets and mini-PCs. It has three aluminum tubes adjustable in different positions thanks to its joints and knobs with improved grip for clamping.



Technical specifications

Height (maximum extent): 60 cm – 120 cm

Load capacity: 2 kg

Mount weight: 1 kg

Materials: Aluminium, plastic and Nylon

Colour: Grey and black



Handy D4

The **Handy D4** with D-Safe Safety System is the best solution to support switches, adapters, sensors and direct coupling systems with 1/4 and 3/8 adapters.



Technical specifications

Height (maximum extent): 60 cm – 120 cm

Load capacity: 400 g

Mount weight: 1,7 kg


Materials: Aluminium, plastic and Nylon

Colour: Grey and black



Handy D5

The table mount **Handy D5** with a universal coupling system is designed to be mounted on a stable and solid surface, thanks to its clamp.



Technical specifications

Weight: 1.5 kg

Height: 50 cm

Length: 40 cm

Material: Aluminium, plastic and Metal

Color: Grey and black



Table Mount

The **Gantry** is a table mount designed to guarantee a safe and correct position for the communication devices thanks to its easily adjustable tripod and the suction cup that allows it to be fixed on the surface (for example table or desk).

Easy to handle, it is possible to move it from one surface to another.

Its height is adjustable to meet the user's needs, from a minimum height of 45 cm to a maximum height of 60 cm, and it can bear a maximum weight of 7 kg. It is equipped with a quick hook and release system.



Technical specifications

Weight: 1,5 kg

Minimum Height: 45 cm

Maximum Height: 60 cm

Maximum Capacity: 7 kg

Material: Aluminium alloy

Color: Grey and black



Flexi

The **Flexi** is a table mount suitable for applying sensors and switches. Thanks to its “octopus” style flexibility, it can be fixed and positioned perfectly on any surface by simply wrapping the tripod’s flexible legs around the tubing a wheelchair or table, or also by adapting it to other types of irregular surfaces. The articulated head allows to modify its angles, allowing the users the advantage of positioning it in the way they want.



Technical specifications

Weight: 150 gr

Max height: 28 cm

Max width: 40 cm

Material: ABS plastic

Color: Black and red



Floor stand

The **D-Stand** is a floor stand that makes it easier for those who are bedridden using the device. It can be adjusted according to the patient's need, thanks to the extendable arm with jointed head. The stand also has a gas piston that can be used to adjust the stand's height. The four wheels guarantee the stand's stability. The floor stand is designed to sustain all our devices and those compatible with VESA and/or third-party systems. Thanks to the instruction in the user manual, the assembly becomes easier.



Technical specifications

Size while open: 161,5 x 76 x 60 cm

Size while closed: 99 x 76 x 60 cm

Maximum weight capacity: 7 Kg

Weight: 7,5 Kg

Material: Aluminium and Nylon

Color: Grey and black



Wall Stand

The **Easy Arm** wall stand is an adjustable arm designed not to hinder any kind of movement. The communicator can be positioned in relation to the user's face, and it can be easily locked with its jointed head. Once positioned, it is fully lockable through its knobs. It can bear a maximum weight of 4,5 kg, while the length of its arm can be adjusted as well, from a minimum of 75 cm to a maximum of 125 cm.



Technical specifications

Weight: 3 kg

Minimum extension (from the bracket to the wall): 75 cm

Maximum extension (from the bracket to the wall): 125 cm

Maximum weight capacity: 4,5 kg

Material: Aluminum

Colour: Black





Dialog Ausili S.r.l.

Via Praga 20, Zona P.I.P.

Marrubiu 09094 (OR) Italia

+ 39 0783 - 1925658

info@dialogausili.com

www.dialogausili.com